

Caprico Biotechnologies, Inc. (CBI) provides high quality ASRs for clinical flow cytometry applications. Our ASR products are manufactured under strict quality standards at each step of the manufacturing process in our cGMP facility in Atlanta, GA, USA. All ASRs are tested to meet specifications and ensure consistent lot-to-lot quality.

ASRs are building blocks for Laboratory Developed Tests (LDT) used for diagnostics testing in CLIA/CAP high complexity laboratories.

Analyte Specific Reagent (ASR)* Product List

| Product Description | Clone Name | Isotype | Size (tests) | Catalog # | U.S. List Price |
|----------------------|------------|---------|--------------|-----------|-----------------|
| CD3 APC-iFluor™ 700 | UCHT1 | IgG1 | 50 | 4053172 | \$ 319 |
| CD3 APC-iFluor™ 700 | UCHT1 | IgG1 | 100 | 4053175 | \$ 510 |
| CD3 iFluor™ 488 | UCHT1 | IgG1 | 50 | 4053112 | \$ 289 |
| CD3 iFluor™ 488 | UCHT1 | IgG1 | 100 | 4053115 | \$ 462 |
| CD3 iFluor™ 700 | UCHT1 | IgG1 | 50 | 4053192 | \$ 298 |
| CD3 iFluor™ 700 | UCHT1 | IgG1 | 100 | 4053195 | \$ 476 |
| CD3 mFluor™ 450 | UCHT1 | IgG1 | 50 | 4053142 | \$ 289 |
| CD3 mFluor™ 450 | UCHT1 | IgG1 | 100 | 4053145 | \$ 462 |
| CD4 APC | OKT4 | IgG2b | 50 | 4004042 | \$ 289 |
| CD4 APC | OKT4 | IgG2b | 100 | 4004045 | \$ 462 |
| CD4 iFluor™ 488 | OKT4 | IgG2b | 50 | 4004112 | \$ 289 |
| CD4 iFluor™ 488 | OKT4 | IgG2b | 100 | 4004115 | \$ 462 |
| CD4 iFluor™ 700 | OKT4 | IgG2b | 50 | 4004192 | \$ 298 |
| CD4 iFluor™ 700 | OKT4 | IgG2b | 100 | 4004195 | \$ 476 |
| CD4 PE-Cyanine7 | OKT4 | IgG2b | 50 | 4004082 | \$ 308 |
| CD4 PE-Cyanine7 | OKT4 | IgG2b | 100 | 4004085 | \$ 492 |
| CD8 APC | OKT8 | IgG2a | 50 | 4006042 | \$ 289 |
| CD8 APC | OKT8 | IgG2a | 100 | 4006045 | \$ 462 |
| CD8 APC-Cyanine7 | OKT8 | IgG2a | 50 | 4006092 | \$ 308 |
| CD8 APC-Cyanine7 | OKT8 | IgG2a | 100 | 4006095 | \$ 492 |
| CD8 iFluor™ 488 | OKT8 | IgG2a | 50 | 4006112 | \$ 289 |
| CD8 iFluor™ 488 | OKT8 | IgG2a | 100 | 4006115 | \$ 462 |
| CD8 iFluor™ 700 | OKT8 | IgG2a | 50 | 4006192 | \$ 298 |
| CD8 iFluor™ 700 | OKT8 | IgG2a | 100 | 4006195 | \$ 476 |
| CD8 mFluor™ 450 | OKT8 | IgG2a | 50 | 4006142 | \$ 289 |
| CD8 mFluor™ 450 | OKT8 | IgG2a | 100 | 4006145 | \$ 462 |
| CD8 PerCP | OKT8 | IgG2a | 50 | 4006032 | \$ 268 |
| CD8 PerCP | OKT8 | IgG2a | 100 | 4006035 | \$ 428 |
| CD11b APC | OKM1 | IgG2b | 50 | 4007042 | \$ 289 |
| CD11b APC | OKM1 | IgG2b | 100 | 4007045 | \$ 462 |
| CD11b PerCP | OKM1 | IgG2b | 50 | 4007032 | \$ 268 |
| CD11b PerCP | OKM1 | IgG2b | 100 | 4007035 | \$ 428 |
| CD14 APC | 26ic | IgG2b | 50 | 4034042 | \$ 289 |
| CD14 APC | 26ic | IgG2b | 100 | 4034045 | \$ 462 |
| CD14 APC | M5E2 | IgG2a | 50 | 4074042 | \$ 289 |
| CD14 APC | M5E2 | IgG2a | 100 | 4074045 | \$ 462 |
| CD14 FITC | M5E2 | IgG2a | 50 | 4074012 | \$ 198 |
| CD14 FITC | M5E2 | IgG2a | 100 | 4074015 | \$ 316 |
| CD14 iFluor™ 488 | M5E2 | IgG2a | 50 | 4074112 | \$ 289 |
| CD14 iFluor™ 488 | M5E2 | IgG2a | 100 | 4074115 | \$ 462 |
| CD14 iFluor™ 700 | 26ic | IgG2b | 50 | 4034192 | \$ 298 |
| CD14 iFluor™ 700 | 26ic | IgG2b | 100 | 4034195 | \$ 476 |
| CD14 PE | 26ic | IgG2b | 50 | 4034022 | \$ 259 |
| CD14 PE | 26ic | IgG2b | 100 | 4034025 | \$ 415 |
| CD16 APC-iFluor™ 700 | 3G8 | IgG1 | 50 | 4014172 | \$ 319 |
| CD16 APC-iFluor™ 700 | 3G8 | IgG1 | 100 | 4014175 | \$ 510 |
| CD16 iFluor™ 700 | 3G8 | IgG1 | 50 | 4014192 | \$ 298 |
| CD16 iFluor™ 700 | 3G8 | IgG1 | 100 | 4014195 | \$ 476 |

| Product Description | Clone Name | Isotype | Size (tests) | Catalog # | U.S. List Price |
|-------------------------|------------|---------|--------------|-----------|-----------------|
| CD16 mFluor™ 450 | 3G8 | IgG1 | 50 | 4014142 | \$ 289 |
| CD16 mFluor™ 450 | 3G8 | IgG1 | 100 | 4014145 | \$ 462 |
| CD19 APC | 4G7 | IgG1 | 50 | 4029042 | \$ 289 |
| CD19 APC | 4G7 | IgG1 | 100 | 4029045 | \$ 462 |
| CD19 iFluor™ 700 | 4G7 | IgG1 | 50 | 4029192 | \$ 298 |
| CD19 iFluor™ 700 | 4G7 | IgG1 | 100 | 4029195 | \$ 476 |
| CD20 APC-Cyanine7 | 2H7 | IgG2b | 50 | 4037092 | \$ 308 |
| CD20 APC-Cyanine7 | 2H7 | IgG2b | 100 | 4037095 | \$ 492 |
| CD38 PE | OKT10 | IgG1 | 50 | 4008022 | \$ 259 |
| CD38 PE | OKT10 | IgG1 | 100 | 4008025 | \$ 415 |
| CD45 APC-Cyanine7 | F10-89-4 | IgG2a | 50 | 4016092 | \$ 308 |
| CD45 APC-Cyanine7 | F10-89-4 | IgG2a | 100 | 4016095 | \$ 492 |
| CD45 APC-iFluor™ 700 | F10-89-4 | IgG2a | 50 | 4016172 | \$ 319 |
| CD45 APC-iFluor™ 700 | F10-89-4 | IgG2a | 100 | 4016175 | \$ 510 |
| CD45 iFluor™ 700 | F10-89-4 | IgG2a | 50 | 4016192 | \$ 298 |
| CD45 iFluor™ 700 | F10-89-4 | IgG2a | 100 | 4016195 | \$ 476 |
| CD45 PE-Cyanine7 | F10-89-4 | IgG2a | 50 | 4016082 | \$ 308 |
| CD45 PE-Cyanine7 | F10-89-4 | IgG2a | 100 | 4016085 | \$ 492 |
| CD45 PE-Cyanine5 | F10-89-4 | IgG2a | 50 | 4016072 | \$ 308 |
| CD45 PE-Cyanine5 | F10-89-4 | IgG2a | 100 | 4016075 | \$ 492 |
| CD45 PerCP | F10-89-4 | IgG2a | 50 | 4016032 | \$ 268 |
| CD45 PerCP | F10-89-4 | IgG2a | 100 | 4016035 | \$ 428 |
| CD45RA APC | OTH-74D4 | IgG1 | 50 | 4087042 | \$ 289 |
| CD45RA APC | OTH-74D4 | IgG1 | 100 | 4087045 | \$ 462 |
| CD45RA PE | OTH-74D4 | IgG1 | 50 | 4087022 | \$ 259 |
| CD45RA PE | OTH-74D4 | IgG1 | 100 | 4087025 | \$ 415 |
| CD52 FITC | CF-1D12 | IgG3 | 50 | 408512 | \$ 198 |
| CD52 FITC | CF-1D12 | IgG3 | 100 | 408515 | \$ 316 |
| CD74 FITC | PIN.1 | IgG1 | 50 | 4088012 | \$ 198 |
| CD74 FITC | PIN.1 | IgG1 | 100 | 4088015 | \$ 316 |
| CD83 FITC | HB15e | IgG1 | 50 | 4090012 | \$ 198 |
| CD83 FITC | HB15e | IgG1 | 100 | 4090015 | \$ 316 |
| Anti-HLA-DR mFluor™ 450 | L243 | IgG2a | 50 | 4032142 | \$ 289 |
| Anti-HLA-DR mFluor™ 450 | L243 | IgG2a | 100 | 4032145 | \$ 462 |
| Anti-kappa PE-Cyanine7 | TB28-2 | IgG1 | 50 | 4048082 | \$ 308 |
| Anti-kappa PE-Cyanine7 | TB28-2 | IgG1 | 100 | 4048085 | \$ 492 |
| Anti-lambda PE | HP6054 | IgG2a | 50 | 4066022 | \$ 259 |
| Anti-lambda PE | HP6054 | IgG2a | 100 | 4066025 | \$ 415 |
| Anti-lambda FITC | HP6054 | IgG2a | 50 | 4066012 | \$ 198 |
| Anti-lambda FITC | HP6054 | IgG2a | 100 | 4066015 | \$ 316 |
| Mouse IgG1 PE-Cyanine7 | MOPC31C | IgG1 | 100 | 4023085 | \$ 192 |
| Mouse IgG1 mFluor™ 450 | MOPC31C | IgG1 | 100 | 4023145 | \$ 192 |
| Mouse IgG1 mFluor™ 540 | MOPC31C | IgG1 | 100 | 4023165 | \$ 192 |
| Mouse IgG1 iFluor™ 700 | MOPC31C | IgG1 | 100 | 4023195 | \$ 192 |
| Mouse IgG2a mFluor™ 540 | RPC5.4 | IgG2a | 100 | 4036165 | \$ 192 |
| Mouse IgG2a iFluor™ 700 | RPC5.4 | IgG2a | 100 | 4036195 | \$ 192 |
| Mouse IgG2b mFluor™ 450 | MPC11 | IgG2b | 100 | 4024145 | \$ 192 |
| Mouse IgG2b mFluor™ 540 | MPC11 | IgG2b | 100 | 4024165 | \$ 192 |
| Mouse IgG2b iFluor™ 700 | MPC11 | IgG2b | 100 | 4024195 | \$ 192 |

*Analyte Specific Reagent. Analytical and performance characteristics are not established.

Trademarks:

iFluor™ and mFluor™ are trademarks of AAT Bioquest®, Inc.